


# LAMINATE, MDF & WOOD FLOORING ACCESSORIES

Product Catalog 2022





The information in this catalog is gathered from customers, end users, and our personal experiences. The products have been created to provide you with solutions for today's transition challenges.

We would like to thank you for your patronage and for giving us the opportunity to become "Your Flooring Accessories Specialist". Being "Your Flooring Accessories Specialist" means ...

- We will provide the best service in the industry by utilizing a team of dedicated Customer Service Specialists.
- Our product will maintain a high degree of consistency and quality to meet the needs of our customers, by manufacturing our product to ISO standards.
- We will incorporate our customers input when making decisions, by using ideas and suggestions brought to us.
- All our business dealings will be handled with integrity, by ensuring customers and suppliers alike know the facts.
- New product innovation will be an integral part of our business strategy, by continually anticipating market trends and designing the accessories demanded by the industry.

For questions or concerns pertaining to products contained in this catalog, please contact our Customer Service department. Our team of specialists will be happy to assist you.

Toll free: 1 800 565 6653 E-mail: service@mdteam.com Website: www.mdpro.com

# **TABLE OF CONTENTS**

#### WOOD GRAIN METAL LAMINATE MOLDINGS

#### EXPANSION JOINT (DIVIDER)

LM4002	Pg.04
REDUCERS	
LM4003	Pg.04
LM4005	Pg.04
STAIR NOSING	
LM4004	Pg.04
TRACKS	
LM3001	Pg.05
LM3002	Pg.05
LM3003	Pg.05
LM3004	Pg.05

#### METAL LAMINATE MOLDINGS

#### END STOPS

LM1001Pg.06	
LM1251Pg.06	
EXPANSION JOINTS (DIVIDERS)	
LM1002Pg.06	
LM1005Pg.07	
LM1255Pg.07	
REDUCERS	
LM1003Pg.07	
LM1253Pg.07	
STAIR NOSING	
LM1004Pg.08	
LM1254Pg.08	

### MDF LAMINATE MOLDINGS

T-MOLDINGS
LM7002Pg.10
LM7102Pg.10

#### MDF LAMINATE MOLDINGS

REDUCERS	
LM7003Pg.10	
LM7103Pg.10	

#### STAIR NOSING

LM7004	.Pg.11
LM7104	.Pg.11
QUARTER ROUND	
LM7010	.Pg.11

### MDF LAMINATE ACCESSORIES

SHIM	
LM7030Pg.12	

### MDF LAMINATE FINISHES GUIDE

Ρø	13
 . 8	.10

#### UNFINISHED OAK

EQUALIZERS	
FW6830	Pg.15
FW6840	Pg.15
OVERLAP EDGING	
FW6820	Pg.15
REDUCERS	
FW6800	Pg.16
FW3810	Pg.16
FW6880	Pg.16
SEAM BINDERS	
FW6860	Pg.17
FW6870	Pg.17
T-MOLDING	
FW6890	Pg.17

#### **UNFINISHED OAK & MAPLE**

EQUALIZER	
FW6901	Pg.18
REDUCERS	
FW6900	Pg.18
FW6904	Pg.18
FW6905	Pg.18
SEAM BINDER	
FW6902	Pg.19

#### STAIR NOSING

FW6906	.Pg.19
T-MOLDING	
FW6903	.Pg.19

### PRIMED PINE

COLONIAL BASE	
FW5010	.Pg.20
FW5020	.Pg.20
QUARTER ROUND	
FW5210	.Pg.20
ECONOMY BASE SHOE	
FW5220	.Pg.21
PREMIUM BASE SHOE/DOOR S	TOP
FW5110	.Pg.21

#### M-D MULTI-FLOOR

MD8010GRY20	Pg.22

#### MARKETING TOOLS

		100	TC
· ( . F	1 A H \	I SE	
	17 ALL		. 0

MPCHAINSET11	.Pg.24
MPCHAINSET12	.Pg.24
MPCHAINSETS13	.Pg.24
MPCHAINSETS15	.Pg.24
MPCHAINSET27	.Pg.24
MPCHAINSET32	.Pg.25
MPSWATCH614MDF	.Pg.25
SAMPLE BOARD	

MPSAMPLEMDF		Pg.25
-------------	--	-------

#### POLICY AND WARRANTY

 Pa í	26
 ı g.4	20


# **METAL LAMINATE FLOORING TRIMS**

**LAMINATE** flooring products have become the economical alternative to hardwood. Our wide variety of aluminum profiles and wood grain finishes provide the ideal solution for any installation or transitional needs. Our wood grain laminate moldings are made of solid aluminum providing incomparable strength and durability. In addition the wood grain surface is treated with an aluminum oxide finish that increases surface hardness up to 3 times more over other sealers and coatings.



# **WOOD GRAIN METAL LAMINATE MOLDINGS**

# **EXPANSION JOINT (DIVIDER)**



Expansion Joint (Divider) for floating floors. Used when installing large areas of floating floors as an expansion joint. Overhang allows expansion of floors and eliminates buckling. Should be used for any installation greater than 12' in any one direction.


#### LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishe	es (see pag	e 5 for wo	od grain fi	nishes)
Profile Number	Dimensions	MAP	OAK	ROK	WAL	SCA

LM4002

W1=1-7/16"(3.7cm), W2=5/8"(16mm),H=5/16"(8mm)

## REDUCERS




Floating Floor Reducer. Reduces from 5/16" to 1/8" floor. Used when butting floating floors on top of existing floors, subfloor, floor tile or resilient sheet goods.

#### LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishe	es (see pag	ge 5 for wo	od grain fi	nishes)
Prome Number	Dimensions	MAP	OAK	ROK	WAL	SCA
LM4003	W1=1-1/2"(3.8cm), W2=11/16"(17.5mm), H1=5/16"(8mm), H2=1/8"(3mm)	۰	٥	0	0	0
LM4005	W1=1-5/8"(4.1cm), W2=5/8"(16mm), H1=5/16"(8mm), H2=0"		٠	•	٠	۰

## **STAIR NOSING**





Stair Nosing finishes edge of stair. For nosing applications use LM3002, LM3003 or LM3004 track.

#### LENGTH: 12 FT | PACK SIZE: 12 PCS

Drofile Number		Finishes (see page 5 for wood grain finishes)						
Profile Number	Dimensions	MAP	OAK	ROK	WAL	SCA		
LM4004	W1=1-5/16"(3.3cm), W2=5/8"(16mm), H1=1-3/16"(3cm), H2=1/4"(6mm)	0	0	۰	۰	0		

# **WOOD GRAIN METAL LAMINATE FINISHES**

Wood Grain Metal Laminate Moldings available in: Oak (OAK), Red Oak (ROK), Maple (MAP), Walnut (WAL)




# TRACKS



Profile Number	Dimensions	Finishes	
Profile Nulliber	Dimensions	BLK	

LM3001

W1=7/32"(6mm), W2=7/16"(11mm), H=5/16"(8mm)



Track to be used for laminate floors. Flange adds strength and stability. Staggered drilled. Made of rigid PVC.

#### LENGTH: 12 FT | PACK SIZE: 25 PCS

Drofile Number	Dimensions	Finishes
Profile Number	Dimensions	BLK

LM3002

W1=7/32"(6mm), W2=1"(2.5cm), H=5/16"(8mm)

•




Track to be used for laminate floors. Track provides secure grip of molding for greater durability and safety. Flange adds extra strength and stability. Made of rigid PVC.

### LENGTH: 12 FT | PACK SIZE: 25 PCS

Drofile Number	Dimensions	Fin	ishes
Profile Number	Dimensions	GRY	WHT
LM3003	W1=7/32"(6mm), W2=1"(2.5cm), H=3/8"(10mm)	0	
LM3004	W1=7/32"(6mm), W2=1"(2.5cm), H=1/2"(12.5mm)		

# **METAL LAMINATE MOLDINGS**

# **END STOPS**




One piece floating floor End Stop (J-Mold) used when butting floating floors to walls, patio doors or other flooring materials of similar heights such as hardwood or ceramic tile.

#### LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
Profile Nulliber	Dimensions	SCA	STI	SCP
LM1001	W1=3/4"(2cm), W2=1-3/16"(3cm), H=5/16"(8mm)	0	٠	0
LM1251	W1=9/16"(14mm), W2=1-3/16"(3cm), H=1/2"(12.5mm)	۰	٠	۰

# **EXPANSION JOINT (DIVIDER)**




One piece Expansion Joint (divider) for floating floors. Used when installing large areas of floating floors as an expansion joint. Large overhangs allows expansion of floors and eliminates buckling. Should be used for any installation greater than 12' in any one direction.

#### LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
Profile Number	Dimensions	SCA	STI	SCP
LM1002	W1=1"(2.5cm), W2=1-5/8"(4.1cm), H=5/16"(8mm)	•		•

# **METAL LAMINATE MOLDINGS**

# **EXPANSION JOINTS (DIVIDER)**




One piece Expansion Joint (divider) for floating floors. Used when installing large areas of floating floors as an expansion joint. Large overhangs allows expansion of floors and eliminates buckling. Should be used for any installation greater than 12' in any one direction.

#### LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	nber Dimensions	Finishes		
Profile Nuffiber		SCA	STI	SCP
LM1005	W1=1"(2.5cm), W2=1"(2.5cm), H=5/16"(8mm)	٠	0	۰
LM1255	W1=1-1/10"(2.8cm), W2=1-1/16"(2.7cm), H=1/2"(12.5mm)	0	0	0

# REDUCERS




One piece floating floor Reducer. Used when butting floating floors up to 1/8" tile or resilient sheet goods. The large overhang allows the laminate floor to expand and contract up to 1/2".

#### LENGTH: 8 FT | PACK SIZE: 12 PCS

Drofile Number	Dimensions		Finishes	
Profile Number	Dimensions	SCA	STI	SCP
LM1003	W1=1-1/2"(12.5mm), W2=1-1/10"(2.8cm), H1=5/16"(8mm), H2=1/8"(3mm)	٥	٥	٥
LM1253	W1=1-9/16"(40mm), W2=1-1/10"(2.8cm), H1=1/2"(12.5mm), H2=1/8"(3mm)	۰	۰	۰

# **METAL LAMINATE MOLDINGS**

# **STAIR NOSINGS**



One piece floating floor Stair Nosing. Used when installing floating floors on stairs. Can also be used with ceramic tiles or other floors of similar thickness.

#### LENGTH: 8 FT | PACK SIZE: 12 PCS

Drofile Number	Dimensions		Finishes	
Profile Number	Dimensions	SCA	STI	SCP
LM1004	W1=5/8"(16mm), W2=1-3/16"(3cm), H1=5/16"(8mm), H2=1-5/8"(4.1cm), H3=2"(5.1cm)	0	0	٥
LM1254	W1=9/16"(14mm), W2=1-3/16"(3cm), H1=1/2"(13mm), H2=1-5/8"(4.1cm), H3=2-1/4"(5.7cm)	0	0	0

# **ALUMINUM FINISHES**

(Finishes may not appear exactly as shown. Please request a sample prior to placing an order)



SATIN CLEAR ANODIZED



**STI** SATIN TITANIUM



SCP SATIN CHAMPAGNE


# **MDF LAMINATE MOLDINGS**

Our superior **MDF LAMINATE MOLDINGS** are built on structurally sound, water resistant **MDF (MEDIUM DENSITY FIBERBOARD)**. The finish is wrapped laminate using waterproof adhesive. The laminate surface is impregnated with aluminum oxide then wrapped over the transition to give our transitions superior durability over the competition. Choose from a selection of 32 colours and wood grain styles to complement today's most popular flooring finishes.



# **MDF LAMINATE MOLDINGS**

## **T-MOLDINGS**




Finishes gap between level flooring areas.

LENGTH: 6 FT | PACK SIZE: 7 PCS \*SEE PAGES 13 FOR FINISHES

			To be used with	
Profile N	Profile Number Dimensions	6-9 mm	10-14 mm	
			laminate/fl	pating floors
LM70	02	W1=1-3/4"(4.5cm), W2=1/2"(12.5cm), H=1/4"(6mm)	۰	
LM710	02	W1=1-3/4" (4.5cm), W2=1/2" (12.5cm), H=7/16"(11mm)		•

## REDUCERS



Finishes edge between laminate/wood flooring and other hard surface or carpet. Finishes edge at outside doors.


LENGTH: 6 FT | PACK SIZE: 7 PCS \*SEE PAGES 13 FOR FINISHES

	Profile Number Dimensions		To be u	sed with
			6-9 mm	10-14 mm
			laminate/floating floors	
	LM7003	W1=1-3/4" (4.5cm), W2=1-1/8"(2.9cm), W3=5/8"(16mm), H=3/8"(9.5mm)	٠	

LM7103 W1=1-3/4" (4.5cm), W2=1-1/8"(2.9cm), W3=5/8"(16mm),H=1/2"(12.5mm)

# **MDF LAMINATE MOLDINGS**

# **STAIR NOSINGS**




Finishes edge of laminate/wood flooring at stairs.

LENGTH: 8 FT | PACK SIZE: 5 PCS \*SEE PAGES 13 FOR FINISHES

Profile Number Dimensions		To be used with	ed with
	6-9 mm	10-14 mm	
			oating floors
LM7004	W1=2-1/8"(5.4cm), W2=1-1/10"(2.8cm), W3=5/8"(16mm), H=1/4"(6mm)	٠	
LM7104	W1=2-1/8" (5.4cm), W2=1-1/10"(2.8cm), W3=5/8"(16mm), H=1/2"(12.5mm)		0


# **QUARTER ROUND**



Profile Number	Dimensions	Special Order Only
LM7010	W=3/4"(2cm), H=5/8"(16mm)	Minimum Order Quantiy for Quarter Round: 50 Please allow a minimum of 15 business days for Special Orders

# **MDF LAMINATE ACCESSORIES**

## SHIM





Shim - when used in conjunction with each other - can accommodate installation of the MDF moldings with floors up to 15 mm thick.

#### LENGTH: 6 FT | PACK SIZE: 40 PCS

Profile Number	Dimensions
LM7030	W=13.5mm, H=4mm

# METAL SNAP-IN TRACK







LM7003 with track

Metal Snap-In track is <u>included</u> with each molding and comes complete with screws and anchors. Not sold separately.

## LENGTH: 6 FT

Dimensions

W=9/16"(14mm), H=5/16"(8mm)



## MDF LAMINATE FINISHES GUIDE All Colors Stocked in 6-9 MM and 10-14 MM

Color Number	Finishes	Color Number	Finishes	Color Number	Finishes
256		456		576	
258		248		448	
300		790		786	
532		476		533	
220		354		568	
224		640		520	
				177	
902		506		521	
672		638		188	
173		294		169	
492		626		648 ( 🕲 Quarter Round Only)	

DISCLAIMER: Wood grain finishes may not appear exactly as shown. Request a sample for actual color visual.

🕲 Minimum Order Quantity for Quarter Round: 50. Please allow a minimum of 15 business days for Special Orders.

# **PRIMED & UNFINISHED WOOD**

Whether you are looking for a primed or unfinished product, we offer a versatile selection of wood moldings to meet your installation needs. Our pine moldings are ready-to-use and provide ease of finishing while our line of unfinished oak and maple moldings offer the flexibility to paint or varnish for custom applications. Available in several different profiles with pre-drilled and un-drilled options, our wood products are sure to please many installers and their clients.




# **UNFINISHED OAK**

# EQUALIZER



# **OVERLAP EDGING**



Overlap Edging. For use with resilient floors or tile up to 1/8". Items are supplied **pre-drilled** with a sanded but unfinished surface.

#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimonsions	Materials
Profile Number	file Number Dimensions	Solid Oak


FW6820

W1=13/16"(2.1cm), W2=7/16"(11mm), H1=1/8"(3mm), H2=3/8"(9.5mm)

# **UNFINISHED OAK**

## REDUCERS





Reducer. Used when butting floating floors up to  $1/8^{\prime\prime}$  tile or resilient sheet goods. Items supplied undrilled.

### LENGTH: 6 FT | PACK SIZE: 5 PCS

Drofile Number	ofile Number Dimensions	Materials
Profile Number		Solid Oak

FW6800


W=1"(2.5cm), H1=3/8"(9.5mm), H2=1/4"(6mm)



Solid Oak	Profile Number	Dimensions	Materials
	Profile Number	Tile Number Dimensions	Solid Oak

FW3810

W=1-3/4"(4.5cm), H1=7/16"(11mm), H2=1/8"(3mm)



Reducer molding for reducing 3/4" flooring materials such as ceramic or hardwood. Gives smooth transition from lower to higher floors. Joins adjacent floor height differentials. Items supplied **undrilled**.

#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensione	Materials
Prome Number	Dimensions	Solid Oak

FW6880

W=2-1/2"(6.4cm), H1=3/4"(2cm), H2=1/4"(6mm)

# **UNFINISHED OAK**

## **SEAM BINDERS**




Seam binder for joining adjacent floors of equal height. Items are supplied **pre-drilled** with a sanded but unfinished surface.

#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials	
Profile Nulliber	Dimensions	Solid Oak	
FW6860	W=1-3/4"(4.5cm), H=3/8"(9.5mm)	0	
FW6870	W=2-1/2"(6.4cm), H=3/8"(9.5mm)	۰	

Н

## **T-MOLDING**



T-Molding. Joins adjacent floors of equal heights. Items supplied **undrilled**.

#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials
Profile Nulliber	Dimensions	Solid Oak

W1=1-1/2"(3.8cm), W2=7/16"(11mm), H1=9/16"(14mm), H2=3/16"(5mm)

# **UNFINISHED OAK & MAPLE**

## **EQUALIZER**



H2 1  $\mathbf{+}$ H1


Equalizer. Joins adjacent floor height differentials up to 3/16". Items supplied undrilled.

#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Duefile Number	Dimensione	Materials	
Profile Number	Dimensions	OAK	MAP
FW6901	W=1-1/2"(3.8cm), H1=3/16"(5mm), H2=5/16"(8mm)	0	•

# **REDUCERS**





Reducer molding for reducing flooring materials such as ceramic or hardwood. Gives smooth transition from lower to higher floors. Items supplied **undrilled**.


### LENGTH: 6 FT | PACK SIZE: 5 PCS

Drofile Number	file Number Dimensions	Materials	
Profile Number	Dimensions	OAK	MAP

FW6900

W=1-3/4"(4.5cm), H1=7/16"(11mm), H2=1/8"(3mm)

H1




Reducer molding for reducing flooring materials such as ceramic or hardwood. Gives smooth transition from lower to higher floors. Items supplied **undrilled**.

#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Materials	
Profile Number	r Dimensions –	OAK	MAP

FW6904

W=2-1/2"(6.4cm), H1=3/4"(2cm), H2=1/8"(3mm)



Reducer molding for reducing 3/4" hardwood to carpet. Items supplied undrilled.

### LENGTH: 6 FT | PACK SIZE: 5 PCS


Drofile Number	Dimensions	Materials	
Profile Number	Dimensions	OAK	MAP
EWGOOE	$W_{1-2} = 1/2"(6.4 \text{ am}) W_{2-5} = (2"(16 \text{ mm}) = 1-2/4"(2 \text{ mm}) = 12-2/9"(0.5 \text{ mm})$		

FW6905

W1=2-1/2"(6.4cm), W2=5/8"(16mm), H1=3/4"(2cm), H2=3/8"(9.5mm)

# **UNFINISHED OAK & MAPLE**

## **SEAM BINDER**



Seam binder for joining adjacent floors of equal height 1-3/4" wide. Items supplied **undrilled**.

#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Profile Number	mber Dimensions	Materials	
Prome Number		OAK	MAP
FW6902	W=1-3/4"(4.5cm), H=5/16"(8mm)	0	0

## **STAIR NOSING**



Profile Number	Dimensions	Materials	
Profile Number	Dimensions	OAK	MAP
FW6906	W1=3-1/2"(9cm), W2=2-1/4"(5.7cm), H1=3/4"(2cm), H2=1/4"(6mm)	0	0

## **T-MOLDING**



T-molding for joining adjacent floors of equal height 1-3/4" wide. Items supplied **undrilled**.


#### LENGTH: 6 FT | PACK SIZE: 5 PCS

Drofile Number	Dimensione	Mate	erials
Profile Number	umber Dimensions	OAK	MAP
FW6903	W1=1-3/4"(4.5cm), W2=1/2"(12.5mm), H=5/8"(16mm)	0	0

# **PRIMED PINE**

## **COLONIAL BASE**





Colonial baseboard provides a traditional solution for most interior spaces. The classic curved design adds charm and finishing flare.


#### LENGTH: 12 FT | PACK SIZE: 8 PCS

Profile Number	Diversions	Materials
Profile Nulliber	Dimensions	PNE (Pine)

FW5010

### W=1/2"(12mm), H=4-1/4"(10.7cm)

# **QUARTER ROUND**




Profile Number	Dimensione	Materials
Profile Nulliber	Dimensions	PNE (Pine)

FW5210

W=5/8"(1.58cm), H=5/8"(1.58cm)

# **PRIMED PINE**

## **ECONOMY BASE SHOE**



Economy Base Shoe can be used where less visibility and protrusion from the wall base is desired. Use to hide any imperfections, gaps and height differences between laid flooring surfaces and the baseboard.


#### LENGTH: 12 FT | PACK SIZE: 20 PCS

Profile Number	Dimensions	Materials	
		PNE (Pine)	

FW5220

W=7/16"(1.1cm), H=11/16"(1.74cm)

# PREMIUM BASE SHOE / DOOR STOP



Premium base shoe/door stop is a great alternative to quarter round finishing. It adds a continuation of the colonial design to the base while also hiding any imperfections, gaps and height differences between laid flooring surfaces and the baseboard. This profile is often used as a door stop as well.

#### LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Materials
Profile Number		PNE (Pine)

FW5110

W=3/8"(9.5mm), H=1-1/8"(2.8cm)


# **M-D MULTI-FLOOR®**



# 

The M-D MULTI-FLOOR<sup>®</sup> underlayment system provides advanced durability & protection for ALL floating floor applications! The versatile underlayment is suitable for multiple areas of application and substrates. Exclusive elastic spring technology allows for dynamic contraction, delivering a durable and comfortable walking surface for years to come. With the ability to be used under all floating floor surface materials (hardwood, laminate, LVT/LVP, and carpet), M-D MULTI-FLOOR<sup>®</sup> is the ultimate solution for the most common flooring applications!

#### PACK SIZE: 1 ROLL



Profile Number	Dimensions	Color
MD8010GRY20	215 sq.ft (20 m) roll	Grey

## **M-D MULTI-FLOOR® SEALING TAPE**

Tape designed to seal all joints between sections of M-D MULTI-FLOOR® underlayment. The tape resists moisture and provides premium bonding capabilities.\*

#### PACK SIZE: 6 ROLLS

Profile Number	Dimensions	Color
MD8020BLK55	180.4' x 1.9" (55 m x 48 mm)	Black



#### \* Seal all joints with M-D MULTI-FLOOR® SEALING TAPE

**NOTE:** This step is recommended for all applications, but it is required for installations done below grade or on concrete substrates that are above or below grade.

# **MARKETING TOOLS**

At M-D PRO, we believe that our customers come first and that not only is apparent in the products and care we provide but also in how we aid in future sales of our products at the distributor level. The following section outlines all of the sample materials available for customer use which gives the purchaser the opportunity to see finish/color, feel the product, and choose a profile that is right for their project.



# **CHAIN SETS**



# MPCHAINSET11

Solid Oak moldings chainset.

PACK SIZE: 1 PC



# **MPCHAINSET12**

Primed Pine chain set.

PACK SIZE: 1 PC



# **MPCHAINSETS13**

Laminate metal chain set.

PACK SIZE: 1 PC



## **MPCHAINSETS15**

Wood Grain laminate chain set.

PACK SIZE: 1 PC



# **MPCHAINSET27**

MDF Profile chain set.

PACK SIZE: 1 PC

# **CHAIN SETS**



## **MPCHAINSET32**

Unfinished Wood -Oak/Maple chain set.

PACK SIZE: 1 PC



## **MPSWATCH614MDF**

MDF Wood Grain fan deck.

PACK SIZE: 1 PC

# SAMPLE BOARD



## **MPSAMPLEMDF**

MDF Sample board.

PACK SIZE: 1 PC

# **ORDER POLICIES AND WARRANTY**

# **MDF LAMINATE**

Requests for MDF moldings/trims that fall within our published Special Order (SO) assortment are subject to minimums. The minimum order quantity (MOQ) is dependent on the profile ordered. Please refer to the chart below for minimums.

Profile	MOQ	
Quarter Round	50 pieces	

\*Please allow a minimum of 15 business days from receipt of PO for shipment.

# **BROKEN CARTON POLICY**

Less than full cartons may be purchased on select items with a minimum up charge of 20%, please contact your Customer Service Representatives for details. No returns will be granted for items that fall below the standard carton/pack size.

# **M-D PRO LIMITED WARRANTY**

M-D PRO products are warranted for a period of 1 (one) year from date of shipment. All products will be subject to the following manufacture warranties; Products will conform to original product and contract description with only such reasonable variations as is acceptable in the trade. These products will be fit for the purposes for which they were intended and that they will be professionally packaged and labeled. M-D PRO will replace any defective product found if said defect is identified before installation. If a defect is found after installation, M-D PRO must be notified in writing within 10 days of installation. The customer must then, at M-D PRO's discretion, allow an inspection of the installation. If upon inspection, M-D PRO determines the product to be defective, M-D PRO will at its own discretion supply replacement materials that conform to the contract requirements or issue a credit equal to but not exceeding the original purchase price for the goods in question. M-D PRO assumes no liability or responsibilities for labor or the cost of other materials used in such installations.

These warranties do not circumvent any individual product category warranties implied or stated by M-D PRO.

Warranties do not apply to the following specified items, terms and conditions:

- A. Exact matching of color, shade, texturing or mottling.
- B. Any warranties, other than expressed above, implied or promised by any sales representative.
- C. Tears, scratches, burns, or other damage caused by improper installation, improper use or maintenance.
- D. Sales of "Seconds", or "Imperfect" goods.
- E. Problem caused by moisture, hydrostatic pressure or alkali in the sub-floor.
- **F.** Problem caused by installation with non-approved adhesive. If you are unsure about the suitability of a particular adhesive, please call us for our recommendations.
- G. Product installed outdoors. M-D PRO products are designed for interior use only.
- **H.** Color degradation caused by sunlight or other U.V. exposure. These warranties are supplied in lieu of any other warranty, expressed or implied. All product specifications are subject to change without notice.



5720 Ambler Drive Mississauga, ON, L4W 2B1 Telephone: 1 800 565 6653 E-mail: service@mdteam.com Website: www.mdpro.com