




# TRIMS FOR CARPET, SHEET VINYL & SPECIALTY

Product Catalog **2025**





The M-D PRO® Flooring Accessories brand provides the most comprehensive selection of flooring accessories for hardwood, laminate, vinyl, and carpet. Our extensive range of transitions and finishing trims is designed to meet contemporary needs, ensuring ease of installation and dependable durability. We sincerely thank you for your partnership and for allowing us the opportunity to be your Flooring Accessories Specialist.

It is our pleasure to provide you with:

- Timely services with dedicated customer support.
- Reliable consistency and quality manufactured to ISO standards to meet the customers' needs.
- Innovations driven by customer feedback.
- Transparency and integrity.
- A commitment to stay on top of the market trends and industry demands.

For questions or concerns pertaining to products contained in this catalog, please contact our Customer Service department. Our team of specialists will be happy to assist you.

**Toll free:** 1 800 565 6653

**E-mail:** [service@mdteam.com](mailto:service@mdteam.com)

**Website:** [mdpro.com](http://mdpro.com)



# TABLE OF CONTENTS

## TAP DOWNS

CM1740 .....	Pg.04
CM1741 .....	Pg.04
CM1750 .....	Pg.04
CM1760 .....	Pg.05
CM1770 .....	Pg.05
CM1780 .....	Pg.05
CM1621 .....	Pg.05
CM1650 .....	Pg.06
CM1653 .....	Pg.06
CM1657 .....	Pg.06

## BEVEL BARS

CM1196 .....	Pg.07
CM1197 .....	Pg.07
CM2196 .....	Pg.07
CM2197 .....	Pg.07
CM3196 .....	Pg.08

## SEAM BINDERS

CM1342 .....	Pg.08
CM1344 .....	Pg.08
CM1142 .....	Pg.09

## NOSING

CM2184 .....	Pg.09
CM2190 .....	Pg.09
CM2191 .....	Pg.10
CM2193 .....	Pg.10
CM2199 .....	Pg.10
CM2194 .....	Pg.11
CM2182 .....	Pg.11
CM2195 .....	Pg.11
CM2198 .....	Pg.12
CM2185 .....	Pg.12
CM2192 .....	Pg.12

## THRESHOLDS

CM1144 .....	Pg.13
CM1145 .....	Pg.13
CM1146 .....	Pg.14
CM1148 .....	Pg.14
WSB4424 .....	Pg.14
WSB4425 .....	Pg.14
WSB4426 .....	Pg.14
WSB4424LP .....	Pg.14
WSB4425LP .....	Pg.14
WSB4426LP .....	Pg.14

## SPECIALTY

CM1121 .....	Pg.15
CM1122 .....	Pg.15
CM1125 .....	Pg.15
CM1155 .....	Pg.16
CM14281 .....	Pg.16
CM2130 .....	Pg.16
CM330 .....	Pg.17
CM3330 .....	Pg.17
CM332 .....	Pg.18
CM332_OCR .....	Pg.18
CM3340 .....	Pg.19
CM3220 .....	Pg.19
CM1666 .....	Pg.19
CM1766 .....	Pg.20
CM1162 .....	Pg.20
CM1163 .....	Pg.20
CM1164 .....	Pg.20
CM3210 .....	Pg.20

## CAP TRACK - PINLESS

CM1651 .....	Pg.21
CM1655 .....	Pg.21
CM1658 .....	Pg.21
CM1659 .....	Pg.21
CM1660 .....	Pg.21

## CAP TRACK - PINNED

CM1751 .....	Pg.22
CM1752 .....	Pg.22
CM1755 .....	Pg.22
CM1759 .....	Pg.22

## LUXURY VINYL FINISHING ESSENTIALS

### • LVT FLOOR PROFILES

LV8903 .....	Pg.23
LV8905 .....	Pg.23
LV8907 .....	Pg.23
LV8923 .....	Pg.23
CM2161 .....	Pg.23
CM2162 .....	Pg.23
LV8303 .....	Pg.24
LV8305 .....	Pg.24
LV8307 .....	Pg.24
LV8308 .....	Pg.24
LV8335 .....	Pg.25
LV8503 .....	Pg.25
LV8505 .....	Pg.25
LV8507 .....	Pg.25
LV8508 .....	Pg.25
LV8323 .....	Pg.26
LV8325 .....	Pg.26
LV2203 .....	Pg.26

### • LVT STAIR PROFILES

LV8603 .....	Pg.27
LV8605 .....	Pg.27
LV8607 .....	Pg.27
LV8803 .....	Pg.27
LV8805 .....	Pg.27
LV8807 .....	Pg.27
LV8702 .....	Pg.28
LV8703 .....	Pg.28
LV8705 .....	Pg.28
LV8707 .....	Pg.28
LV8708 .....	Pg.28

### • LVT MULTI-PURPOSE PROFILES

LV1157 .....	Pg.28
CM1156 .....	Pg.29
CM1158 .....	Pg.29
LV1205 .....	Pg.30
LV2103 .....	Pg.30

## ALUMINUM FINISHES

.....	Pg.31
-------	-------

## POLICY AND WARRANTY

.....	Pg.32
-------	-------

# CARPET METAL & SPECIALTY TRIM


M-D PRO's traditional line of carpet metal and specialty trim was designed to provide products that aid in unique and detail-oriented installations.

This tried and true program has been honed and fine tuned over decades of countless installations and experience. These can include applications such as counters, mirrors/glass, fireplaces, and wheelchair accessible ramps.

No matter the requirement, M-D PRO® can provide the item to complete the job with both functionality and style.



## TAPDOWNS



### CM1740

Residential Pinned Tapdown for use with low to medium pile action backed carpet up to 30 oz. Ultra Pin system for maximum holding strength.

**ADA compliant after install.\***

LENGTH: 12 FT | PACK SIZE: 42 PCS

AVAILABLE IN FLEX (CONTOUR) : 12 PCS




Profile Number	Dimensions	Finishes			
		HAB	HGA	HSI	HTI

CM1740

H=9/16" (14.5mm), W=1-3/8" (35mm)

• • • •



### CM1741

Residential Pinned Tapdown with additional top return to lock in carpet. For use with low to medium pile action backed carpet up to 30 oz. Ultra Pin system for maximum holding strength.

**ADA compliant after install.\***


LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		HAB	HGA	HSI	HTI

CM1741

H=9/16" (14.5mm), W=1-3/8" (35mm)

• • • •



### CM1750

Heavy duty Pinned Tapdown for use with high pile action backed carpet up to 60 oz. Ultra Pin system for maximum holding strength.

**ADA compliant after install.\***

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI


CM1750

H=5/8" (16mm), W=1-1/2" (38mm)

• • • • •

\* Denotes ADA Compliant Profiles

## TAPDOWNS



### CM1760

Extra heavy duty pinned Tapdown for use with the thickest action backed carpets. Ultra Pin system for maximum holding strength. 3/4" (19mm) top face.


LENGTH: 12 FT | PACK SIZE: 42 PCS  
AVAILABLE IN FLEX (CONTOUR) : 12 PCS 

Profile Number	Dimensions	Finishes				
		CVG	HGA	HSI	HTI	PBK

CM1760

H=3/4" (19mm), W=1-5/8" (41mm)

• • • • •



### CM1770

Economy large lip 3/4" (19mm) Tapdown for use with the thickest action backed carpet. May be used in areas of low traffic. Ultra Pin system as our other pinned metals for maximum holding strength.


LENGTH: 12 FT | PACK SIZE: 42 PCS  
AVAILABLE IN FLEX (CONTOUR) : 12 PCS 

Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI

CM1770

H=3/4" (19mm), W=1-1/2" (38mm)

• • • • •



### CM1780

Heavy duty pinned Tapdown used to hold down a very thick stretch of carpet.

**ADA compliant after install.\***



LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI

 CM1780

H=51/64" (20mm), W=1-11/16" (43mm)

• • •



### CM1621

Multi-purpose Tapdown that can be used for carpet underpad installation or glue down installations. The large lip covers even the thickest carpets with room for tucking the edge. Tackless can be used on the bottom for carpet with underpad installations.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		HAB	HGA	HSI	HTI


CM1621

H=3/4" (19mm), W=1-3/8" (35mm)

• • • • •

\*  Denotes ADA Compliant Profiles

## TAPDOWNS



### CM1650

Heavy duty pinless Tapdown for use with rubber backed and direct glue down installations. Nail holes on 12" (30.5cm) centres.

**ADA compliant after install.\***


LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		HGA	HSI	HTI	KHG

CM1650

H=5/8" (16mm), W=1-3/8" (35mm)

• • • •



### CM1653

Residential Pinless Tapdown for use with foam backed carpet or direct glue down installations.

**ADA compliant after install.\***

LENGTH: 12 FT | PACK SIZE: 42 PCS


AVAILABLE IN FLEX (CONTOUR) : 12 PCS

Profile Number	Dimensions	Finishes					
		CVG	HAB	HCA	HGA	HSI	HTI

CM1653

H=1/2" (12.5mm) , W=1-1/4" (32mm)

• • • • • •



### CM1657

Commercial duty Pinless Tapdown for use in high traffic commercial settings. Used in glue down carpet installations.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		HSI	


CM1657

H=3/4" (19mm), W=1-7/8" (47.5mm)

•

\* Denotes ADA Compliant Profiles

## BEVEL BARS



### CM1196

1" (25mm) Residential Bevel Bar for transitions.  
Made for height differentials of up to 5/16"(8mm).


LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI

CM1196

H=1/4" (6.5mm), W=1" (25mm)

• • • • •



### CM1197

1" (25mm) Economy Bevel Bar for transitions.  
Made for height differentials of up to 5/16"(8mm).


LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes					
		CVG	HAB	HGA	HSI	HTI	PBK

CM1197

H=1/4" (6.5mm), W=1" (25mm)

• • • • •



### CM2196

1-1/2" (38mm) Residential Bevel Bar for transitions.  
Made for height differentials of up to 3/8"(10mm).


LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes						
		CVG	HAB	HDB	HGA	HSI	HTI	PBK

CM2196

H=3/8" (10mm), W=1-1/2" (38mm)

• • • • •



### CM2197

1-1/2" (38mm) Economy Bevel Bar for transitions.  
Made for height differentials of up to 3/8"(10mm).

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes				
		CVG	HAB	HGA	HSI	HTI


CM2197

H=3/8" (10mm), W=1-1/2" (38mm)

• • • •

\* Denotes ADA Compliant Profiles

## BEVEL BARS



### CM3196

2" (51mm) Commercial weight Bevel Bar. For use in high traffic areas or where extreme height differentials exists.

LENGTH: 12 FT | PACK SIZE: 12 PCS


Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI

CM3196

H=3/8" (10mm), W=2" (51mm)

• • •

## SEAM BINDERS



### CM1342

3/4" (19mm) Seam Binder. Covers seams of hard surfaces or resilient floors.


LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI

CM1342

H=1/10" (2.5mm), W=3/4" (19mm)

• • •



### CM1344

1" (25mm) Flat Joiner. For binding seams at doorways where dissimilar floors of equal height meet.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes			
		CVG	HGA	HSI	HTI


CM1344

H=1/10" (2.5mm), W=1" (25mm)

• • • •

\* Denotes ADA Compliant Profiles

## SEAM BINDERS



### CM1142


1-1/4" (32mm) for seams where greater bridging is required.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes					
		CVG	HAB	HGA	HSI	HTI	PBK
CM1142	H=1/10" (2.5mm), W=1-1/4" (32mm)	•	•	•	•	•	•



## NOSING




### CM2184

1-1/8" (28.5mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes							
		CVG	DOK*	GOK*	HAB	HGA	HSI	HTI	KHG
CM2184	H=1-1/8" (28.5mm), W=1-1/8" (28.5mm)	•	•	•	•	•	•	•	•



### CM2190


1-3/8" (35mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes			
		HDB	HGA	HSI	HTI
CM2190	H=1-3/8" (35mm), W=1-1/8" (28.5mm)	•	•	•	•

\* Denotes ADA Compliant Profiles

## NOSING



### CM2191

1-5/8" (41mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes								
		CVG	HAB	HBK	HCR	HGA	HSI	HTI	KHG	PBK

CM2191

H=1-5/8" (41mm), W=1-1/8" (28.5mm)

• • • • • • • • • •



### CM2193

1-7/8" (47.5mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes				
		HDB	HGA	HSI	HTI	PBK

CM2193

H=1-7/8" (47.5mm), W=1-3/16" (30mm)

• • • • • •



### CM2199

Full 2" (51mm) Drop Stair Nosing. Protects edge of stair from damage. This product is designed for light commercial or residential use.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Finishes		
		HGA	HSI	HTI


CM2199

H=2" (51mm), W=1-1/4" (32mm)

• • •

\* Denotes ADA Compliant Profiles

## NOSING



**CM2194**

Full 2" (51mm) Drop Stair Nosing with 1-1/2" (38mm) top tread. Covers most imperfections. The wider top tread allows for nosing to be secured away from stair edge especially when edges of stairs are damaged. Designed for commercial and residential use.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		HGA	HSI	HTI

CM2194

H=2" (51mm), W=1-1/2" (38mm)

• • •



**CM2182**

1-1/8" (28.5mm) Drop Stair Nosing. Protects edge of stair from damage. Designed for light commercial or residential use.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes					
		CVG	HAB	HGA	HSI	HTI	PBK

CM2182

H=1-1/8" (28.5mm), W=1-1/8" (28.5mm)

• • • • • •



**CM2195**

1-1/2" (38mm) Drop X 2-1/2" (63.5mm) Tread Stair Nosing. Provides excellent traction and protection at edge of stair. Ideal for repairing stairs where existing nosing has worn out. Designed for commercial use.

Available in Drilled Staggered (DS) or Drilled Center (DC).

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes				
		BCL	HGA	HSI	HTI	SGA


CM2195

H=1-1/2" (38mm), W=2-1/2" (63.5mm)

• • • • •

\* Denotes ADA Compliant Profiles

# NOSING



## CM2198

1-3/16" (30mm) Drop X 3-1/16" (78mm) Tread Stair Nosing. Provides excellent traction and protection at edge of stair. Ideal for repairing stairs where existing nosing has worn out. Designed for commercial use.

Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS


Profile Number	Dimensions	Finishes	
		BCL	SGA

CM2198

H=1-3/16" (30mm), W=3-1/16" (78mm)

•

•



## CM2185

Scribe to Nosing for 1/8" (3mm) VCT or resilient floors of similar thicknesses. 1-5/8" (41mm) inside drop to work in most settings. With adhesive reservoir for clean and easy installation.

LENGTH: 12 FT | PACK SIZE: 12 PCS


Profile Number	Dimensions	Finishes	
		SCA	STI

CM2185

H1=1/8" (3mm), H2=1-5/8" (41mm), W=1-3/16" (30mm)

•

•



## CM2192

1-3/8" (35mm) Drop Commercial Square Nose for use on concrete pan or square stair. Can also be used as a heavy duty corner guard. Drilling available by special order.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		MIL	


CM2192

H=1-3/8" (35mm), W=1-1/2" (38mm)

•

\* Denotes ADA Compliant Profiles

## THRESHOLDS



**CM1144**

Ribbed threshold for use in joining large gaps.  
Can also be used as an expansion joint cover.  
Suitable where low profile or wheelchair access is required.  
Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		MIL

CM1144

H=3/16" (5mm), W=2-1/2" (63.5mm)

•



**CM1145**

Smooth-top threshold for use in joining large gaps. Can also be used as an expansion joint cover. Suitable for high traffic areas.  
Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		MIL


CM1145

H=1/4" (6.5mm), W=2-1/2" (63.5mm)

•

\* Denotes ADA Compliant Profiles

## THRESHOLDS



### CM1146/1148

Ribbed threshold for use in joining large gaps.  
Can also be used as an expansion joint cover.

Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
		MIL

CM1146


H=1/8" (3mm), W=2-1/2" (63.5mm)

•

CM1148

H=1/8" (3mm), W=4" (101.5mm)

•



### WSB4424/4425/4426

Barrier Free quality extruded Aluminum Thresholds designed for use in commercial applications. Support bars built for added strength.

Full 1/2" (12.5mm) height for retrofit situations. 1/4" (6.5mm) low profile (LP) height.

Construction Materials Board (CMB) listed material.

- Thresholds come drilled center line, staggered, or undrilled.
- **Thresholds shown meet requirements of ADA, CAN/CSA-B651 and ADMG-1992.**

Available in **Drilled Staggered (DS)** or **Drilled Center (DC)**.

LENGTH: 12 FT | PACK SIZE: 5 PCS

Profile Number	Dimensions	Finishes
		MIL

WSB4424

H1=1/8" (3mm), H2=1/2" (12.5mm), W=4" (10cm)

•

WSB4425

H1=1/8" (3mm), H2=1/2" (12.5mm), W=5" (13cm)

•

WSB4426

H1=1/8" (3mm), H2=1/2" (12.5mm), W=6" (15cm)

•

WSB4424LP

H1=1/8" (3mm), H2=1/4" (6.5mm), W=4" (10cm)

•

WSB4425LP

H1=1/8" (3mm), H2=1/4" (6.5mm), W=5" (13cm)

•


WSB4426LP

H1=1/8" (3mm), H2=1/4" (6.5mm), W=6" (15cm)

•

\* Denotes ADA Compliant Profiles

## SPECIALTY



### CM1121

Tile Edge Cap for Finishing the edge of tile or resilient floor. Accommodates materials from 0.080" (2mm) up to 1/8" (3mm) thick.



LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes	
		HSI	HTI

CM1121

H=1/10" (2.5mm), W=3/4" (19mm)

• •



### CM1122

Resilient Flooring Cap. Used when coving sheet goods up the wall to finish off the exposed edge. For materials up to 1/10" (2.5mm) or 1/8" (3mm) thick.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		SCA	

CM1122

H=1/10" (2.5mm), W=15/16" (24mm)

•



### CM1125

Resilient Flooring Cap. Used when coving sheet goods up the wall to finish off the exposed edge. For materials up to 1/10" (2.5mm) or 1/8" (3mm) thick.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		SCA	


CM1125

H=1/8" (3mm), W=15/16" (24mm)

•

\* Denotes ADA Compliant Profiles

## SPECIALTY



### CM1155

7/8" (22mm) wide Hatch Cover molding. Used to cover gaps in the floor where hatch covers are installed.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes		
		MIL	SCA	STI

CM1155

H=5/8" (16mm), W=7/8" (22mm)

•      •      •



### CM14281

1/4" (6mm) face cap trim for 1/8"(3mm) material.


LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes		
		MIL	SCA	STI

CM14281

H=1/8" (3mm), W=3/4" (19mm)

•      •      •



### CM2130

9/32" (7mm) face cap trim for 1/4" (6.5mm) material.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		SCA	SGA


CM2130

H=1/4" (6.5mm), W=3/4" (19mm)

•      •

\* Denotes ADA Compliant Profiles

## SPECIALTY



### CM330

Small face cap trim for 1/10" (2.5mm) material.



LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
CM330	H=1/10" (2.5mm), W1=1/4" (6mm), W2=13/16" (20.5mm)	SCA

CM330

H=1/10" (2.5mm), W1=1/4" (6mm), W2=13/16" (20.5mm)

•



### CM3330

1/10" (2.5 mm) insert cove for resilient sheet goods up to 1/10" (2.5 mm).

LENGTH: 12 FT | PACK SIZE: 40 PCS

Profile Number	Dimensions	Finishes	
CM3330	H1=7/16" (11mm), H2=1/10" (2.5mm), W=3/4" (19mm)	MIL	SCA

CM3330


H1=7/16" (11mm), H2=1/10" (2.5mm), W=3/4" (19mm)

•

•

\* Denotes ADA Compliant Profiles

## SPECIALTY



### CM332

Stainless Steel Cove Cap protects the top edge of sheet vinyl flooring material and holds it in place in a uniform manner along the wall. It is ideal for use in industrial and sanitary settings, where hygiene is a priority, and is designed to accommodate installations of flooring material up to 1/8" (3 mm). Install CM332 in combination with Fillet Strip (FL3010, FL3020, FL3030) to protect vinyl flooring material from cracking or being punctured along floor-to-wall joints.



LENGTH: 8 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes
CM332	H1=1/8" (3mm), H2=5/32" (4mm), W1=9/32" (7mm), W2=1-1/16" (27mm)	STS

CM332

H1=1/8" (3mm), H2=5/32" (4mm), W1=9/32" (7mm), W2=1-1/16" (27mm)

•



### CM332 OCR

Stainless Steel Cove Cap Corners wrap easily around the outside corner walls where extra protection may be needed. The preformed corners are free from sharp edges and save on installation time—Cove Cap Corners easily connect to full-length pieces and eliminate the need to miter cut profiles.

PACK SIZE: 25 PCS

Profile Number	Dimensions	Finishes
CM332 OCR	W=6" (15mm), H1=9/32" (7mm)	STS



CM332 OCR

W=6" (15mm), H1=9/32" (7mm)

•

\* Denotes ADA Compliant Profiles

## SPECIALTY



### CM3340

1/8" (3mm) insert cove for resilient sheet goods up to 1/8" (3mm).



LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		MIL	SCA

CM3340

H1=7/16" (11mm), H2=1/8" (3mm), W=3/4" (19mm)

• •



### CM3220

Z-Bar is an offset hearth metal for installing carpet around fireplaces. Provides grip while remaining invisible.


LENGTH: 4 FT | PACK SIZE: 25 PCS

Profile Number	Dimensions	Finishes	
		MIL	

CM3220

H=1/2" (12.5mm), W=1-3/16" (30mm)

•



### CM1666

Pinless Divider for commercial use. Used where glue down carpet meets ceramic, hardwood, laminate, cushion floor on plywood or sheet vinyl on subfloor. (Can be adjusted to accept slightly thinner materials). For high traffic areas.

LENGTH: 12 FT | PACK SIZE: 42 PCS

Profile Number	Dimensions	Finishes	
		HSI	HTI


CM1666

H1=7/16" (11mm), H2=5/16" (8mm), W1=1-7/16" (36.5mm), W2=3/4" (19mm)

• •

\* Denotes ADA Compliant Profiles

## SPECIALTY



### CM1766

Pinned Divider for commercial use. Used where stretches in carpet meets ceramic, hardwood, laminate, cushion floor on plywood or sheet vinyl on subfloor. Can be adjusted to accept slightly thinner materials. For high traffic areas.


LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Number	Dimensions	Finishes	
		HGA	HSI



CM1766 H1=7/16" (11mm), H2=5/16" (8mm), W1= 1-1/2" (38mm), W2= 3/4" (19 mm)

• •



### CM1162/1163/1164

Angle for use on corners to protect edge. Can also be used as an accent. Can be drilled.

LENGTH: 12 FT | PACK SIZE: 25 PCS

Profile Numbers	Dimensions	Finishes		
		BCL	SCA	STI

CM1162

H=1/2" (12.5mm), W=1/2" (12.5mm)

• • •

CM1163


H=3/4" (19mm), W=3/4" (19mm)

• • •

CM1164

H=1" (25mm), W=1" (25mm)

• • •



### CM3210

2-1/4" (57mm) wide **SABRE TOOTH STRAIGHT EDGE**.

Grooves prevent tool from moving by biting into carpet. Allows carpet technician to cut carpet up to 12 feet wide. Clear Anodized to prevent marking carpet.

SIZE AVAILABLE: SE 29" SE 36" SE 75" SE 84" SE 150"  
PACK SIZE: 1 PC

Profile Number	Dimensions	Finishes	
		SCA	


CM3210

H=1/4" (6.5mm), W=2-1/4" (57mm)

•

\* Denotes ADA Compliant Profiles

## CAP TRACK - PINLESS




### CM1651/1655

Pinless Channel for use where rubber backed carpet meets dissimilar flooring.

LENGTH: 12 FT | PACK SIZE: 25 PCS  
AVAILABLE IN FLEX (CONTOUR): 12 PCS   
ALSO AVAILABLE WITH PRE-PUNCHED BASE

Profile Numbers	Dimensions	Style		Finishes
		NARROW	WIDE	
		Use with all 1/8" (3mm) Leg "E" or "T" caps	Use with all 3/16" (5mm) Leg "E" or "T" caps	
CM1651	H=3/8"(10mm), W1=1-1/4" (32mm), W2=1/8" (3mm)	•	•	
CM1655	H=3/8" (10mm), W1=1-1/4" (32mm), W2=5/32" (4mm)	•	•	




### CM1658/1659/1660

Pinless Channel for areas where extra strength or height is needed. Extra height for installations where floor covering are over 3/8" (10mm) high but less than 5/8" (16mm). Tack strips can be used when installing under pad.

LENGTH: 12 FT | PACK SIZE: 12 PCS

Profile Numbers	Dimensions	Style		Finishes
		NARROW	WIDE	
		Use with all 1/8" (3mm) Leg "E" or "T" caps	Use with all 3/16" (5mm) Leg "E" or "T" caps	
CM1658	H=1/2" (12.5mm), W1=1-1/4" (32mm), W2=1/8" (3mm)	•	•	
CM1659	H=5/8" (16mm), W1=1-1/4" (32mm), W2=1/8" (3mm)	•	•	
CM1660	H=11/16" (17.5mm), W1=1-1/4" (32mm), W2=3/16" (5mm)	•	•	

## CAP TRACK - PINNED



### CM1751/1752/1755


Pinned Channel for use where action backed carpet meets dissimilar flooring. Ultra Pin continuous pinning system for maximum holding strength.

LENGTH: 12 FT | PACK SIZE: 25 PCS

AVAILABLE IN FLEX (CONTOUR): 12 PCS



Profile Numbers	Dimensions	Style		Finishes
		NARROW	WIDE	
		Use with all 1/8" (3mm) Leg "E" or "T" caps	Use with all 3/16" (5mm) Leg "E" or "T" caps	
CM1751	H=3/8" (10mm), W1=1-7/16" (36.5mm), W2=1/8" (3mm)	•	•	•
CM1752	H=3/8" (10mm), W1=1-1/2" (38mm), W2=1/8" (3mm)	•	•	•
CM1755	H=3/8" (10mm), W1=1-7/16" (36.5mm), W2=3/16" (5mm)	•	•	•



### CM1759

Wide Pinned Channel for areas where extra strength or height is needed. Added strength of one piece aluminum track holds up under increased traffic. Ultra Pin continuous pinning system for maximum holding strength. Extra height for installations where floor coverings are over 3/8" (10mm) high but less than 3/4" (19mm).

LENGTH: 12 FT | PACK SIZE: 12 PCS


Profile Number	Dimensions	Style - WIDE	Finishes
		Use with all 3/16" (5mm) Leg "E" or "T" caps	
CM1759	H=11/16" (17.5mm), W1=1-1/2" (38mm), W2=5/32" (4mm)	•	•

# LUXURY VINYL FINISHING ESSENTIALS

The **M-D PRO®** line of luxury vinyl transitions and finishing accessories provide versatility and function for the most common LVT/LVP applications. Providing these **ESSENTIAL profiles** allows you to consolidate inventory while satisfying customer needs.

- All Floor and Stair profiles can accommodate flooring material up to **7mm thick!**
- New sizes provide versatility and range for flooring material thickness
- Universal **3/8"** top lip accepts both floating and glue down applications
- Rounded corner edge for smooth and **safe transition**
- Durable, anodized finishes complement today's most popular flooring styles
- Reduce SKU count and stock these **ESSENTIALS** today!

## LVT FLOOR PROFILES




### LVT TO CARPET

LVT to Carpet transition for use where luxury vinyl tile or plank flooring meets low pile carpet or other flooring material.

LENGTH: 12 FT | PACK SIZE: 12 PCS

**\*(T) APPLICATION THICKNESSSS**

Profile Number	Dimensions	Finishes		
		SCA	SAB	STI
LV8903	T=5/64"- 1/8" (2mm - 3mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•
LV8905	T=5/32"- 13/64" (4mm - 5mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•
LV8907	T=15/64"- 9/32" (6mm - 7mm), H=1/4" (6.5mm), W1=1/4" (6.5mm), W2=3/8" (10mm), W3=3/4" (19mm)	•	•	•



### LVT TO CARPET


LVT to Carpet transition for use where luxury vinyl tile or plank flooring meets low pile carpet or other flooring material.

LENGTH: 12 FT | PACK SIZE: 12 PCS

**\*(T) APPLICATION THICKNESSSS**

Profile Number	Dimensions	Finishes			
		PBK	SAB	STI	SCA
LV8923	T=13/64" (5mm), H1=9/32" (7mm), H2=1/8" (3mm), W=1" (25mm)	•	•	•	•

## LVT FLOOR PROFILES



### LVT TO TILE ADAPTER

LVT to Tile Adapter for use where tile meets existing luxury vinyl tile or plank flooring up to 1/4" (6.5mm) thick.

LENGTH: 8 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes									
		BBR	BCL	MIL	SAB	PBK	SBK	SCA	SCP	SDB	SGA

CM2161


T=1/4" (6.5mm), H=3/8" (10mm)

• • • • • • • • • • •

CM2162

T=1/4" (6.5mm), H=1/2" (12.5mm)

• • • • • • • • • • •



### REDUCER

Reducer for use with Luxury Vinyl Tile or Plank Flooring.

LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI

LV8303

T=5/64" - 1/8" (2mm - 3mm), W1=1" (25mm), W2=3/8" (10mm)

• • • •

LV8305

T=5/32" - 13/64" (4mm - 5mm), W1=1" (25mm), W2=3/8" (10mm)

• • • •

LV8307

T=15/64" - 9/32" (6mm - 7mm), W1=1" (25mm), W2=3/8" (10mm)

• • • •


LV8308

T=5/16" (8 mm), W1=1" (25mm), W2=3/8" (10mm)

• • • •

\* Denotes ADA Compliant Profiles

## LVT FLOOR PROFILES



### ROUND REDUCER

Rounded LVT/LVP carpet transition to area with no flooring.

LENGTH: 12 FT | PACK SIZE: 12 PCS


\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	STI	SCA

LV8335

T=13/64" (5mm), H=9/32" (7mm), W=1" (25mm)

• • • •



### J-MOLDING

J-Molding/End Cap for use with Luxury Vinyl Tile or Plank Flooring.

LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI

LV8503

T=5/64"- 1/8" (2mm - 3mm), H=15/64" (6mm), W1=1" (25mm), W2=3/8" (10mm)

• • • •

LV8505

T=5/32"- 13/64" (4mm - 5mm), H=19/64" (7.5mm), W1=1" (25mm), W2=3/8" (10mm)

• • • •

LV8507

T=15/64"- 9/32" (6mm - 7mm), H=3/8" (10mm), W1=1" (25mm), W2=3/8" (10mm)


• • • •

LV8508

T=5/16" (8 mm), H=7/16" (10.5mm), W1=1" (25mm), W2=3/8" (10mm)

• • • •

## LVT FLOOR PROFILES



### RAMP REDUCER

Transition for LVT/LVP to area with no flooring.


LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI



LV8323  $T=1/8"$  (3mm),  $H=5/16"$  (8mm),  $W1=2"$  (50mm),  $W2=1-13/64"$  (30.5mm)



### RAMP REDUCER

Transition for LVT/LVP to area with no flooring.


LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI



LV8325  $T=5/32"- 13/64"$  (4mm - 5mm),  $H=7/32"$  (5.6mm),  $W1=2"$  (50mm),  
 $W2=1-13/64"$  (30.5mm)



### SEAMLESS RAMP

Minimal reveal transition to elevate LVT/LVP material up to carpet tile.

LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS


Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI



LV2203  $T=1/8"$  (3mm),  $H=3/16"$  (5mm),  $W1=1"$  (25mm),  $W2=7/64"$  (2.8mm)



## LVT STAIR PROFILES



### INSIDE COVE

Inside Cove for use with Luxury Vinyl Tile or Plank Flooring. Typically used to finish corners of stair tread-to-riser applications. Avoid dirt build-up in riser corners.

LENGTH: 12 FT | PACK SIZE: 12 PCS

**\*(T) APPLICATION THICKNESSSS**

Profile Number	Dimensions	Finishes		
		SAB	SCA	STI

**LV8603**

**T**=5/64" - 1/8" (2mm - 3mm), H/W=1" (25mm)

• • •

**LV8605**


**T**=5/32" - 13/64" (4mm - 5mm), H/W=1" (25mm)

• • •

**LV8607**

**T**=15/64" - 9/32" (6mm - 7mm), H/W=1" (25mm)

• • •



### OUTSIDE CORNER SQUARE STAIR NOSE

Outside Corner Square Stair Nosing for use with Luxury Vinyl Tile or Plank Flooring. Minimal reveal outside corner edge provides clean finish.

LENGTH: 12 FT | PACK SIZE: 12 PCS

**\*(T) APPLICATION THICKNESSSS**

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI

**LV8803**

**T**=5/64" - 1/8" (2mm - 3mm), H=1" (25mm) , W=1-1/4" (32mm)

• • • •

**LV8805**

**T**=5/32" - 13/64" (4mm - 5mm), H=1" (25mm) , W=1-1/4" (32mm)

• • • •


**LV8807**

**T**=15/64" - 9/32" (6mm - 7mm), H=1" (25mm) , W=1-1/4" (32mm)

• • • •

\* Denotes ADA Compliant Profiles

## LVT STAIR PROFILES



### STAIR NOSING


Stair Nosing for use with luxury vinyl tile or plank flooring.

LENGTH: 12 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI
ADA LV8702	T=5/64"(2mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•	•
ADA LV8803	T=5/64" - 1/8" (2mm - 3mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•	•
ADA LV8805	T=5/32" - 13/64" (4mm - 5mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•	•
ADA LV8807	T=15/64" - 9/32" (6mm - 7mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•	•
ADA LV8708	T=5/16" (8mm), H=1" (25mm) , W=1-1/4" (32mm)	•	•	•	•

## LVT MULTI-PURPOSE PROFILES



### T-MOLDING SEAM BINDER

Transition for luxury vinyl tile/plank flooring and other flooring materials of equal heights.

LENGTH: 8 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI


ADA LV1157

T=7/64"(2.5mm), H=5/32" (4mm) , W=3/4" (19mm)

• • • •

\* ADA Denotes ADA Compliant Profiles

## LVT MULTI-PURPOSE PROFILES



### T-MOLDING

T-Molding for use between luxury vinyl tile/plank flooring and other flooring materials of equal heights where expansion is expected.

LENGTH: 8 FT | PACK SIZE: 12 PCS


\*(T) APPLICATION THICKNESSSS

Profile Number	Dimensions	Finishes									
		BBR	BCL	MIL	PBK	SBK	SCA	SCP	SDB	SGA	STI

CM1156

T=5/16" (8mm), W=7/8" (22mm)

• • • • • • • • • • •



### T-MOLDING REDUCER

T-Molding Reducer for use between luxury vinyl tile/plank flooring and other flooring materials of different heights where expansion is expected.

LENGTH: 8 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESSSS


Profile Number	Dimensions	Finishes		
		PBK	SCA	STI

CM1158

T=13/64" - 9/32" (5mm - 7mm),  
H=5/16" - 3/8" (8mm - 10mm), W=7/8" (22mm)

• • •

## LVT MULTI-PURPOSE PROFILES



### SEAM BINDER WITH LIP

Transition for joining new installation of luxury vinyl tile/plank flooring and other flooring materials of equal height while providing support for floating floors.

LENGTH: 8 FT | PACK SIZE: 12 PCS


\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI

LV1205

T=13/64"(5mm), H=0.05" (1.27mm), W1=35/64" (13.9mm), W2=1-3/4" (44mm)

• • • •



### SEAM BINDER WITHOUT LIP

Seamless, minimal transition for luxury vinyl tile/plank flooring and other flooring materials that meet within a single space.

LENGTH: 8 FT | PACK SIZE: 12 PCS

\*(T) APPLICATION THICKNESS

Profile Number	Dimensions	Finishes			
		PBK	SAB	SCA	STI

LV2103

T1=1/8"(3mm), T2=7/64"(2.5mm), W1=3/32" (2.4mm), W2=1-1/2" (38mm)

• • • •

## ALUMINUM FINISHES


(Finishes may not appear exactly as shown. Please request a sample prior to placing an order)



**BCL**  
BRIGHT CLEAR




**CVG**  
COVENTRY GOLD



**HAB**  
HAMMERED ANTIQUE BRONZE




**HCR**  
HAMMERED COPPER



**HGA**  
HAMMERED GOLD ANODIZED



**HSI**  
HAMMERED SILVER



**HTI**  
HAMMERED TITANIUM



**KHG**  
KINTRIM HAMMERD GOLD



**MIL**  
MILL FINISH



**PBK**  
MATTE BLACK



**SAB**  
SATIN ANTIQUE BRONZE



**SBK**  
SATIN BLACK



**SCA**  
SATIN CLEAR ANODIZED



**STI**  
SATIN TITANIUM



**SGA**  
SATIN GOLD ANODIZED

**\*\*DISCLAIMER:** DO NOT USE MILL FINISH IN WET AREAS. MILL product is aluminum in its raw state, therefore there is a high risk of oxidization on the product and staining on the flooring material and/or grout when it is used in wet areas.

## **BROKEN CARTON POLICY**

For select products, partial cartons may be purchased, subject to a minimum upcharge of 20%. No returns will be accepted for such items. Please contact your customer service representative for full details.

## **M-D PRO® LIMITED WARRANTY**

All products contained in this catalogue are eligible for the M-D PRO® Anodized Aluminum and Specialty Accessories Five-Year Limited Warranty. As part of this warranty program, the specified products are to be free from manufacturing defects for five years from their date of purchase, subject to the following conditions:

1. The Products are installed and maintained in accordance with their installation instructions and all associated written materials.
2. The Products are subjected to normal usage in a Residential or Commercial application (as defined in the full warranty document).

For the most efficient service on warranty claims, the Owner (as defined in the full warranty document) is encouraged to submit a fully completed Five-Year Warranty Registration form within 60 days of the date the Products are purchased.

**For full warranty details, exclusions, and registration forms, please find the applicable M-D PRO Flooring Accessories product warranty at [mdpro.com/flooring/warranty](http://mdpro.com/flooring/warranty).**

## NOTES

## NOTES



5720 Ambler Drive  
Mississauga, ON, L4W 2B1  
Telephone: 1 800 565 6653  
E-mail: [service@mdteam.com](mailto:service@mdteam.com)  
Website: [mdpro.com](http://mdpro.com)

